

09/786883

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20037-3213
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860
www.sughrue.com

March 9, 2001

BOX PCTCommissioner for Patents
Washington, D.C. 20231PCT/JP99/04933
-filed September 10, 1999Re: Application of Ryoichi NEMORI, Junji NISHIGAKI, and Yutaka TAMURA
METHOD OF DETECTING THIOL-CONTAINING COMPOUND
Our Ref: Q63526

Dear Sir:

The following documents and fees are submitted herewith in connection with the above application for the purpose of entering the National stage under 35 U.S.C. § 371 and in accordance with Chapter II of the Patent Cooperation Treaty:

- ☒ International Preliminary Examination Report (Foreign Language).
- ☒ an English translation of the International Application, twenty-two (22) pages.
- ☒ Notification Concerning Submission or Transmittal of Priority Document.

It is assumed that copies of the International Application, the International Search Report, the International Preliminary Examination Report, and any Articles 19 and 34 amendments as required by § 371(c) will be supplied directly by the International Bureau, but if further copies are needed, the undersigned can easily provide them upon request.

The Government filing fee is calculated as follows:

Total claims	15	-	20	=		x	\$18.00	=	\$0.00
Independent claims	3	-	3	=		x	\$80.00	=	\$0.00
Base Fee									860.00
Multiple Dependent Claim Fee									\$270.00
TOTAL FEE									\$1130.00

A check for the statutory filing fee of \$1130.00 is attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16, 1.17 and 1.492 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from September 10, 1998 based on JP Application No. 256839/1998.

Respectfully submitted,

Susan J. Mack / Bruce E. Kramon
Susan J. Mack / Reg. No. 33,725
 Susan J. Mack
 Registration No. 30,951

SJM/ddw

SPECIFICATION

METHOD FOR MEASURING THIOL GROUP-CONTAINING COMPOUND

Field of the Invention

The present invention relates to a convenient method for measuring a thiol group-containing compound and a thin membrane used for said method.

Background Art

Thiol group-containing compounds have various functions attributable to reactivity of thiol groups. Accordingly, they are utilized in chemical industries, and they also play important roles in a living body such as glutathione, coenzyme A and so forth. For detection and quantitative assay of trace amounts of thiol group-containing compounds, methods having been applied so far include methods of direct measurement using separation and analysis means such as gas chromatography and liquid chromatography, or methods comprising the steps of reaction with a compound reactive to a thiol group such as maleimide derivatives, and then modification with a readily detectable compound such as a fluorescent dye and detection of the resulting compound. However, these methods have problems in that they require large-scale apparatuses or need skills for operation. Therefore, it has been desired to develop a method for easily and accurately measuring thiol group-containing compounds contained in biosamples in chemical laboratories, test facilities, clinical situations and so forth.

Disclosure of the Invention

An object of the present invention is to provide a method for conveniently and accurately measuring a thiol group-containing compound. More specifically, the object of the present invention is to provide a method for conveniently and accurately measuring a thiol group-containing compound, for example, alkylmercaptans, arylmercaptans, amino acid derivatives such as cysteine and glutathione, proteins containing free thiol groups and so forth. Another object of the present invention is to provide a method for measuring a thiol group-containing compound which has the

0978663-060701
TOP SECRET

aforementioned characteristic features and is capable of accurately determining intratissular localization of said compounds which are derived from cancer cells localized in test tissues. A further object of the present invention is to provide a thin membrane used for the aforementioned method for measurement of a thiol group-containing compound.

The inventors of the present invention conducted researches to achieve the foregoing objects, and as a result, they found that, when a solution or a living tissue slice which contains a thiol group-containing compound was closely contacted with a thin membrane comprising microparticles of a substance selected from the group consisting of a metal and a metal compound together with a hydrophilic binder, the thiol group-containing compound contained in the solution or the living biological tissue slice interacted with the substance selected from the group consisting of a metal and a metal compound to cause color change such as change of color tone and coloration, and that the thiol group-containing compound contained in the sample was conveniently and accurately measurable by detecting the color change through visual observation, under optical microscope, or by spectroscopic means or the like. The inventors also found that detection ability of the aforementioned thin membrane was further improved by adding a crosslinking agent to the aforementioned thin membrane. The present invention was achieved on the basis of these findings.

The present invention thus provides a method for measuring a thiol group-containing compound, which comprises the steps of:

- (1) contacting a sample containing a thiol group-containing compound with a thin membrane comprising a microparticle of a substance selected from the group consisting of a metal and a metal compound and comprising a hydrophilic binder, and
- (2) detecting a color change on the thin membrane resulting from interaction of the thiol group-containing compound and the microparticle.

The following methods are examples of preferred embodiments of the aforementioned method of the present invention.

① A method for measuring a thiol group-containing compound which comprises the steps of:

- (1) dropping a solution containing a thiol group-containing compound onto a thin membrane comprising a microparticle of a substance selected from the group

consisting of a metal and a metal compound and comprising a hydrophilic binder,
(2) optionally drying the dropped solution, and then subjecting the thiol
group-containing compound in the solution to interact with the microparticle, and
(3) detecting a color change on the thin membrane resulting from the interaction of the
thiol group-containing compound and the microparticle.

In the aforementioned embodiment, the step (2) is usually performed by
leaving the thin membrane under saturated humidity at a temperature of from room
temperature to 70°C for several minutes to several hours.

② A method for measuring a thiol group-containing compound which
comprises the steps of:

- (1) contacting a frozen slice of a biosample with a thin membrane comprising a
microparticle of a substance selected from the group consisting of a metal and a metal
compound and comprising a hydrophilic binder and a crosslinking agent,
- (2) subjecting the thiol group-containing compound in the biosample to interact with
the microparticle, and
- (3) detecting a color change on the thin membrane resulting from the interaction of the
thiol group-containing compound and the microparticle.

In the aforementioned embodiment, the step (2) is usually performed by
leaving the thin membrane, on which the slice is placed, under saturated humidity at a
temperature of from room temperature to 70°C for several minutes to several hours.

③ A method for measuring a thiol group-containing compound which
comprises the steps of:

- (1) subjecting a solution containing a thiol group-containing compound to be absorbed
into an absorptive medium,
- (2) contacting the medium containing the absorbed solution with a thin membrane
comprising a microparticle of a substance selected from the group consisting of a metal
and a metal compound and comprising a hydrophilic binder,
- (3) subjecting the thiol group-containing compound in the solution to interact with the
microparticle, and
- (4) detecting a color change on the thin membrane resulting from the interaction of the
thiol group-containing compound and the microparticle.

In the aforementioned embodiment, the absorptive medium used in the step

(1) may be, for example, paper, microfilter, gelatin film or the like, and the step (3) is usually performed by leaving the thin membrane under saturated humidity at a temperature of from room temperature to 70°C for several minutes to several hours.

As a preferred embodiment of the aforementioned method of the present invention, there is provided the aforementioned method wherein the thiol group-containing compound is selected from the group consisting of alkylthiols, arylthiols, amino acids and derivatives thereof, peptide compounds, and proteins. As a preferred embodiment of the aforementioned method of the present invention, there is provided the aforementioned method wherein the biosample is a sample isolated or collected from a mammal including human, more preferably, blood, blood plasma, blood serum, cancer tissue slice, gingival crevice exudate, destructive morbid tissue slice, or destructive morbid tissue extract (for example, rheumatic morbid tissue extract, alveolus blennorrhoea tissue extract and the like). There are also provided the aforementioned method wherein the metal or a metal that constitutes the metal compound is selected from the group consisting of metals of the 2nd period, 3rd period, 4th period, 5th period, and 6th period of the periodic table of elements; and the aforementioned method wherein the metal or a metal that constitutes the metal compound is selected from the group consisting of metals of Group VIb, Group VIIb, Group VIII, Group Ib, Group IIb, Group VIa and Group VIIa in the periodic table of elements.

According to another aspect of the present invention, there is provided a thin membrane used for measurement of a thiol group-containing compound, which contains microparticles of a substance selected from the group consisting of a metal and a metal compound, and hydrophilic colloids. According to a preferred embodiment of the thin membrane of the present invention, the aforementioned thin membrane which further contains a crosslinking agent is provided. This thin membrane is characterized by development of color change resulting from interaction of the thiol group-containing compound and the substance selected from the group consisting of a metal and a metal compound. As preferred embodiments thereof, there are provided the thin membranes for measurement of a thiol group-containing compound which are defined in the aforementioned methods ① through ③. According to further preferred embodiments of said thin membranes, there are

provided the aforementioned thin membranes wherein the thin membranes are formed on a flat surface of a support such as object glass and polyethylene terephthalate film; and the thin membranes wherein an undercoat layer is provided between the thin membrane and the support.

Best Mode for Carrying out the Invention

The methods for measuring a thiol group-containing compound according to the aforementioned embodiments basically comprise a step of contacting a sample containing a thiol group-containing compound as an object of the measurement with a thin membrane comprising microparticles of a substance selected from the group consisting of a metal and a metal compound together with a hydrophilic binder (first step), and a step of detecting change of a surface of the thin membrane resulting from interaction of the thiol group-containing compound and the microparticles of a substance selected from the group consisting of a metal and a metal compound (second step). The methods of the present invention have characteristic features in that they enable convenient measurement utilizing a biosample such as a tissue slice and an exudate, and that they achieve high detection accuracy and enable highly sensitive measurement of thiol group-containing compounds even under an optical microscope or by means of an ordinary spectroscopic apparatus. Types of the thiol group-containing compound are not particularly limited, and any compounds having one or more thiol groups may be measured. Examples of the thiol group-containing compound include, but not limited thereto, alkylthiols (for example, methylmercaptan, ethylmercaptan and the like) arylthiols (for example, thiophenol, thionaphthalene, benzylmercaptan and the like), amino acids or derivatives thereof (for example, cysteine, glutathione and the like), peptide compounds (for example, cysteine residue-containing dipeptide compounds, tripeptide compounds, tetrapeptide compounds, oligopeptide compounds containing five or more amino acid residues and the like), proteins (for example, globular proteins in which cysteine residues are exposed on their surfaces and the like) and so forth.

The term "measurement" used herein should be most broadly interpreted so as to encompass any measurement which can provide any information concerning existence of a thiol group-containing compound, including qualitative and quantitative

measurements. When the measurement is performed according to the method of the present invention, if a thiol group-containing compound is contained in a sample, the compound interacts with the microparticles of a substance selected from the group consisting of a metal and a metal compound contained in the thin membrane, and as a result, a detectable color change arises on the thin membrane. The term "interaction" used herein includes various physicochemical and/or chemical interactions which occur between a thiol group-containing compound and a colloid comprising a substance selected from the group consisting of a metal and a metal compound, and the term should be most broadly construed so as to include, for example, formation of a complex or a salt, adsorption, chemical bonding and the like. Moreover, the term also encompasses interaction between a substance produced by an enzymatic action, e.g., a substrate after decomposition by the action of a protease, and a substance selected from a metal and a metal compound.

The color change caused on the thin membrane may be of any type of change. For example, the change may be coloring, decoloration, color tone change or the like. The change may also be spectral change observable in an ultraviolet range or a near infrared ray range. The color change may be a sole change or a combination of two or more changes. The change may be a color change detectable with any one of various measurement techniques available to those skilled in the art, for example, absorbance measurement of a reflected or transmitted ultraviolet ray or visible ray, microscopic or visual observation thereof and so forth, or detectable with any combination of two or more of these measurement techniques.

As for the substance selected from a metal and a metal compound, the metal compound may be either an inorganic metal compound or an organometallic compound. Examples of the metal compound include, for example, oxides, chlorides, bromides, complexes having an organic compound as a ligand and so forth. For example, the metal or a metal that constitutes the metal compound may preferably be selected from the group consisting of the 2nd period, 3rd period, 4th period, 5th period, and 6th period of the periodic table of elements of the long period type, and/or those of Group VIIb, Group VIIb, Group VIII, Group Ib, Group IIb, Group VIa and Group VIIa in the periodic table of elements. Among them, metals belonging to the 4th period, 5th period, or 6th period, and Group VIII or Group Ib are more preferred, and gold, silver,

102090" 060701

copper, platinum, and palladium are most preferred. Among these metals, gold, silver and platinum are particularly preferred, and silver is most preferred. Microparticles composed of two or more kinds of metals and/or metal compounds may also be used. When two or more kinds of substances are used, they may be used as a mixture. Alternatively, they may be used as an alloy.

More specifically, the substance selected from the group consisting of a metal and a metal compound may be one or more kinds of substances selected from osmium, osmium oxide; silver (mean particle size: 0.01 μ m, 0.03 μ m, 0.05 μ m), silver oxide, silver chloride, silver bromide, silver iodide, silver acetate, silver alginate, silver behenate; gold, gold chloride; cobalt, cobalt oxide, cobalt chloride; iron, iron oxide, iron chloride; platinum, platinum oxide, platinum chloride; palladium, palladium oxide, palladium chloride; ruthenium, ruthenium oxide, ruthenium chloride; rhodium, rhodium oxide, and rhodium chloride.

Existing states of the microparticles of the substance selected from the group consisting of a metal and a metal compound are not particularly limited so far that the substances are present in the thin membrane. It is preferred that they are uniformly dispersed in the form of a substantially globular microparticle. Particle size of the microparticles is not also particularly limited. For example, mean particle diameter may be from 0.001 μ m to 1 μ m, more preferably 0.1 μ m or less, and most preferably 0.03 μ m or less.

As the hydrophilic binder, any materials can be used so long as they are dissolvable in water or can swell by absorption of water. Examples of the hydrophilic binder include, but not limited thereto, naturally occurring polymers, for example, proteins and materials derived from proteins such as gelatin, collagen, casein, transferrin, carboxymethyltransferrin, fibronectin, laminin and elastin; polysaccharides and materials derived from polysaccharides such as cellulose, acetylcellulose, carboxymethylcellulose, starch, agarose, carrageenan, dextran, dextrin, chitin, chitosan, pectin and mannan; synthetic polymers such as Poval, polyacrylamide, polyacrylic acid, polyvinylpyrrolidone, polyethylene glycol, polystyrenesulfonic acid and polyarylamine, copolymers comprising monomers of those polymers, gels produced from those polymers and so forth.

The crosslinking agent used for the production of the thin membrane of the

present invention may be selected from, for example, those having an action of promoting setting of the thin membrane and/or preventing the swell of the thin membrane after being produced. The kinds of the crosslinking agents are not particularly limited so long as they do not substantially affect the interaction between the thiol group-containing compound and the substance selected from the group consisting of a metal and a metal compound. Inorganic or organic crosslinking agents may be used. For example, crosslinking agents such as chromium salts (chromium alum, chromium acetate and the like); calcium salts (calcium hydroxide, calcium chloride and the like); aluminum salt (aluminum hydroxide, aluminum chloride and the like); aldehydes (formaldehyde, glyoxal, glutaraldehyde and the like); N-methylol compounds (dimethylolurea, methyloldimethylhydantoin and the like); dioxane derivatives (2,3-dihydroxydioxane and the like), compounds functioning by activating carboxyl group (calbenium 2-naphthalenesulfonato-1,1-bispyrrolidino-1-chloro, pyridinium 1-morpholinocarbonyl-3-(sulfonatoaminomethyl) and the like); active vinyl compounds (1,3-bis(vinylsulfonyl)-2-propanol, 1,2-bis(vinylsulfonylacetamido)ethane, bis(vinylsulfonylmethyl) ether, vinyl polymers having vinylsulfonyl groups in their side chains, 1,3,5-triacryloyl-hexahydro-s-triazine, bis(vinylsulfonyl)methane and the like); active halogen compounds (2,4-dichloro-6-hydroxy-s-triazine, sodium salt thereof and the like); mucocahogenic acid (mucochloric acid, mucophenoxychloric acid and the like); isoxazoles; dialdehyde starch; 2-chloro-6-hydroxytriazinylated gelatin or the like can be used alone or two or more of them may be used in combination. Among then, active vinyl-type crosslinking agents are preferred. Amounts of the crosslinking agents to be used are not particularly limited. For example, the agents may be added in an amount of 0.1 to 20 mmol, more preferably 0.3 to 10 mmol based on 100 g of the hydrophilic binder.

Samples used for the method of the present invention are not particularly limited. For example, the method may be applied to samples whose content of a thiol group-containing compound need to be measured during chemical synthesis or chemical analysis, or biosamples isolated or collected from mammals including human and so forth. Examples of the biosample include, for example, blood, blood plasma, blood serum, tissues, tissue exudates and so forth. More specifically, applicable samples include blood-derived samples such as blood, blood plasma, and blood serum,

cancer tissues isolated or collected from solid tumor tissues such as those of lung cancer, stomach cancer, esophagus cancer, breast cancer and brain tumor by surgical operation or histological tissue examination, destructive morbid tissues and exudates such as synovial membranes and osseous tissues of rheumatoid arthritis patients, and alveolodental membranes and osseous tissues of alveolus blennorrhoea patients, crevicular exudates of periodontal disease patients and so forth.

When the sample is a biotissue, for example, a slice having a thickness of about 1 to 10 μ m, preferably 5 μ m, can be prepared from a sample quickly frozen in liquid nitrogen by using a frozen slice preparation apparatus, and then put the slice on the thin membrane to have the sample contact with the thin membrane. When blood plasma or synovial fluid collected from a rheumatoid arthritis patient is used as a sample, about 1 to 30 μ l, preferably 5 to 10 μ l of the sample can be dropped onto the thin membrane. When crevicular exudate of a periodontal disease patient is used as a sample, an applicable method comprises the steps of inserting a filter paper strip into gingival crevice to collect about 5 to 10 μ l of crevicular exudate, and then placing the filter paper on the thin membrane. After the collection of the crevicular exudate, the crevicular exudate may be optionally extracted from the filter paper by using distilled water or a suitable buffer (for example, 50 mM Tris-HCl, pH 7.5, 10 mM CaCl₂, 0.2 M NaCl and the like), and then the extract may be dropped onto the thin membrane.

The thin membrane of the present invention may preferably be formed on a flat surface of a support. Although material and form of the support are not particularly limited, the thin membrane may preferably be formed on a transparent or translucent support, for example, when the color change is observed under a microscope, or change on the surface is observed by spectroscopic means such as absorbance measurement or fluorescence measurement. Examples of such a transparent or translucent support include, for example, glass, transparent or translucent plastic films of polyethylene terephthalate, polycarbonate, polyimide, nylon, cellulose, cellulose triacetate and so forth. As glass, objective glass for microscopes is preferably used, and a polyethylene terephthalate film is preferably used as a plastic film.

Further, in addition to the transparent or translucent support mentioned above, an opaque support may also be used. For example, paper, synthetic paper,

paper laminated with a synthetic resin such as polyethylene, polypropylene, polystyrene, and polyethylene naphthalate, metal plate such as plates made of aluminum, aluminum alloy, zinc, iron and copper, paper or plastic film laminated or evaporated with the metal mentioned above and so forth may be used. In the aforementioned embodiment, the support may be colored. However, the supports are not limited to those exemplified above so long as they allow formation of uniform thin membrane.

The thickness of the support is not also particularly limited. When glass is used, the thickness may preferably be approximately that of object glass (e.g., about 2 to 3 mm). When a polyethylene terephthalate film is used, the thickness may be about 100 to 250 μ m, more preferably 150 to 200 μ m, and most preferably about 175 μ m. The thin membrane can be formed as a monolayer or multiple layers on the support as mentioned above, and the membrane should be formed so as to give a film having a thickness as constant as possible. For example, the membrane may preferably be formed to have a thickness of 0.2 to 10 μ m, preferably about 0.5 to 6 μ m, after dryness.

For preparation of the thin membrane, the microparticles of the substance selected from the group consisting of a metal and a metal compound, the hydrophilic binder, and optionally the crosslinking agent in respective given amounts may be added to water or an organic solvent such as methylene chloride, acetone, methanol, ethanol or a mixed solvent thereof and dispersed uniformly, and then the dispersion obtained may be applied onto a surface of a support and the resulting membrane may be dried. As application methods, for example, dip coating, roller coating, curtain coating, extrusion coating and so forth may be applied. However, the preparation methods of the thin membrane are not limited to these examples. For example, thin membrane-forming techniques commonly used in the field of photographic films and so forth can be also appropriately used.

The invention will be further explained wherein colloidal silver is used as the substance selected from the group consisting of a metal and a metal compound. In the field of silver halide color photographic photosensitive materials, colloidal silvers are generally used as yellow colloidal silver for a yellow filter and black colloidal silver for anti-halation, and those colloidal silvers can be used for the present invention.

Orange brown or grayish brown colloidal silver may also be used in addition to the aforementioned examples. Among them, use of yellow colloidal silver having a maximum absorption wavelength of 400 nm to 500 nm is particularly preferred.

As methods for preparation of the colloidal silver, applicable methods include known methods, for example, a method utilizing reduction of a soluble silver salt with hydroquinone in a gelatin solution as disclosed in U.S. Patent No. 2,688,601, a method utilizing reduction of a hardly soluble silver salt with hydrazine as disclosed in German Patent No. 1,096,193, a method utilizing reduction into silver with tannic acid as disclosed in U.S. Patent No. 2,921,914, a method of forming silver grains by non-electrolysis galvanization as disclosed in Japanese Patent Unexamined Publication [Kokai] No. 5-134358/1993 and so forth. The method for preparing yellow colloidal silver by the dextrin reduction technique of Carey Le disclosed in Weiser, "Colloidal Elements", Wiley & Sons, New York, 1933 may also be used.

When the thin membrane is formed on the support, an undercoat layer may be provided between the thin membrane and the support surface to improve adhesion of the thin membrane and the support. For example, a polymer or copolymer produced by polymerization of one or more kinds of monomers selected from vinyl chloride, vinylidene chloride, butadiene, methacrylic acid, acrylic acid, itaconic acid, maleic anhydride and so forth, or a polymer such as polyethyleneimine, epoxy resin, grafted gelatin, cellulose nitrate and so forth may be applied as the undercoat layer. When a polyester support is used, the adhesion between the support and the thin membrane may sometimes be improved by subjecting the support surface to corona discharge treatment, ultraviolet irradiation, or glow discharge treatment instead of providing an undercoat layer.

The term "thin membrane formed on a surface of a support" or synonyms thereof should not be construed to exclude those formed on one or more such undercoat layers and/or the treatment on a surface of a support. However, the means for improving adhesion between the thin membrane and the support are not limited to those mentioned above, and means commonly used in the field of photographic films and the like may also be appropriately applied. When the thin layer is composed of laminated two or more layers as mentioned above, an intermediate layer may be further provided between the laminated layers. The term "laminated" used in the

specification should not be construed to limit a membrane in which two layers are directly contacted. Means for appropriately providing intermediate layers are commonly used, for example, in the field of photographic films and so forth.

When the thin membrane is produced, other ingredients such as colorants, pigments, antiseptics, stabilizers and so forth may be incorporated in addition to the aforementioned ingredients. These ingredients are not particularly limited so long as they do not substantially affect the interaction between the thiol group-containing compound and the substance selected from the group consisting of a metal and a metal compound. Any materials may be appropriately chosen and used.

Modes for carrying out the method of the present invention are not particularly limited. For example, contact of the thin membrane and a sample may be achieved by, for example, dropping a liquid sample onto the thin membrane, or placing a tissue slice on the thin membrane. After optionally drying the liquid sample on the thin membrane, the thin membrane may be incubated preferably in a moist box, for example, at 37°C for 6 hours or less, preferably 1 hour or less, and more preferably about 5 minutes to 30 minutes, or alternatively, at room temperature for 6 hours or less, preferably 1 hour or less, and more preferably about 5 minutes to 30 minutes.

When a thiol group-containing compound is contained in the sample, interaction arises between the compound and the microparticles of the substance selected from the group consisting of a metal and a metal compound in the thin membrane, and as a result, a color change such as coloring, decoloration, and color tone change occurs. The color change may be detected by suitable means, for example, visual observation or observation under a microscope, or spectroscopic measurement such as absorbance measurement and fluorescence measurement and so forth.

According to another embodiment of the method of the present invention, localization of a thiol group-containing compound derived from individual cells in a tissue can be accurately determined by preparing continuous frozen slices from a cancer tissue or the like, preparing an ordinary tissue preparation by hematoxylin-eosine staining or the like by using one of substantially contiguous two tissue slices, treating the other sample by the measurement method of the present invention, and then comparing or contrasting the both observation results. Further, when it is desired to determine localization of a thiol group-containing compound in

one tissue slice, and desired to simultaneously observe cell nuclear morphology and so forth, a tissue sample may be treated by the measurement method of the present invention, and after color change occurs as a result of the interaction between the microparticles of the substance selected from the group consisting of a metal and a metal compound in the thin membrane and the thiol group-containing compound, the membrane may preferably be subjected to nuclear staining by hematoxylin or the like. By applying the aforementioned method, localization of a thiol group-containing compound derived from individual cells can be more accurately determined.

Examples

The present invention will be explained more specifically with reference to the following examples. However, the scope of the present invention is not limited to these examples.

Example 1

Preparation of thin membrane for measurement of thiol group-containing compound

(a) Monolayer thin membrane: Preparation of Sample 101

Acid-treated swine cutis gelatin (15 g) was dissolved in pure water (122 g), and the solution was added with colloidal silver and then with 1,2-bis(vinylsulfonyl-acetamido)ethane (4%, 0.6 ml) as a crosslinking agent. The resulting solution was coated on object glass by using a wire bar coater so as to give a uniform membrane having a dry thickness of about 7 μ m, and then dried to obtain a thin membrane. The thin membrane was stored at room temperature just before use. Yellow colloidal silver was prepared by adding an aqueous solution containing silver nitrate (17 g) to an aqueous solution (700 ml) containing dextrin (18 g), which was adjusted to pH 11.0, and then adding gelatin to the resulting mixture and washing the mixture with water by the known flocculation method. The mixture was further added with gelatin and warmed to 60°C to give the desired colloidal silver. A coating aid was used for application, if needed.

(b) Monolayer thin membrane: Preparation of Membranes 102 to 125

Substances selected from the group consisting of a metal and a metal

compound, hydrophilic colloids, hardening agents, and supports were changed or chosen as shown in Tables 1 and 2 to prepare Membranes 102 to 125 in the same manner as in the preparation of Membrane 101.

(c) Monolayer thin membrane: Preparation of Membranes 126 to 129

Membranes 126 to 129 were prepared in the same manner as in the preparation of Membrane 122 to 125 except that a slide coater was used instead of the wire bar coater for application. Drying was performed at ordinary temperature under ordinary humidity, after the membrane was cooled to 10°C as required.

0978683-050701
T04090" 0309450

Table 1

Sample No.	Metal and/or metal compound			Hydrophilic binder		Cross-linking agent		Support
	Content ^{*1}	Mean particle size	Coated amount	Content ^{*2}	Film thickness	Content ^{*3}	Coated amount	
101	A	0.01 mm	0.04 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
102	A	0.01 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
103	B	0.05 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
104	C	0.05 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
105	D	0.05 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
106	D	0.09 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
107	D	0.50 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
108	D	1.00 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
109	E	1.00 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
110	F	0.01 mm	0.37 g/m ²	G	7.0 μm	L	0.60 g/m ²	N
111	F	0.01 mm	0.37 g/m ²	G	3.0 μm	L	0.60 g/m ²	N
112	F	0.03 mm	0.37 g/m ²	G	1.0 μm	L	0.60 g/m ²	N
113	A	0.01 mm	0.37 g/m ²	H	7.0 μm	L	0.60 g/m ²	N
114	A	0.01 mm	0.37 g/m ²	I	7.0 μm	L	0.60 g/m ²	N
115	A	0.01 mm	0.37 g/m ²	J	7.0 μm	L	0.60 g/m ²	N
116	A	0.01 mm	0.37 g/m ²	K	7.0 μm	K	0.60 g/m ²	N
117	A	0.01 mm	0.37 g/m ²	G	7.0 μm	L	2.40 g/m ²	O
118	A	0.01 mm	0.18 g/m ²	G	7.0 μm	L	2.40 g/m ²	O
119	A	0.01 mm	0.18 g/m ²	G	5.0 μm	L	1.70 g/m ²	O
120	A	0.01 mm	0.18 g/m ²	G	3.0 μm	L	1.00 g/m ²	O

*1 A; Colloidal silver (for photographic material, yellow filter), B; Colloidal silver (for photographic material, anti-halation), C; Silver chloride (for photographic material), D; Silver bromide (for photographic material), E; Silver iodide (for photographic material), F; Colloidal gold

*2 G; Acid-treated swine cutis gelatin, H; Alkali-treated bovine bone gelatin, I; Acid-treated bovine bone gelatin, J; Casein, K; Polyvinyl alcohol

*3 L; 1,2-Bis(vinylsulfonylethyl)ethane, M: DENACOL EX810

*4 N; Objective glass, O; PET film

Table 2

Sample No.	Metal and/or metal compound			Hydrophilic binder		Cross-linking agent		Support
	Content ^{*1}	Mean particle size	Coated amount	Content ^{*2}	Film thickness	Content ^{*3}	Coated amount	
121	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	O
122	A	0.01 mm	0.18 g/m ²	G	0.5 μm	L	0.17 g/m ²	O
123	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	P
124	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	Q
125	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	R
126	A	0.01 mm	0.18 g/m ²	G	0.5 μm	L	0.17 g/m ²	O
127	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	P
128	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	Q
129	A	0.01 mm	0.18 g/m ²	G	1.0 μm	L	0.34 g/m ²	R

*1 A; Colloidal silver (for photographic material, yellow filter)

*2 G; Acid-treated swine cutis gelatin

*3 L; 1,2-Bis(vinylsulfonylacetamide)ethane

*4 Q; PET film, P; PEN film; Q; Acetylcellulose film, R; PE laminate paper,

Example 2: Measurement of a thiol group-containing compound using the thin membrane

(a) Measurement for a sample as a solution

As liquid samples for measurement of a thiol group-containing compound, solutions containing glutathione at a concentration of from 0.1 mmol/L to 1 mmol/L were used. Each liquid sample (about 10 μ l) was dropped onto each of the thin membranes obtained in Example 1. The thin membranes were put into a moist box and incubated at 37°C for 1 hour. Then, each thin membrane was evaluated by visual inspection. The results are shown in Table 3 (in the table, degree of color change is represented by the following symbols: *: slightly changed, **: weakly changed, ***: changed, ****: clearly changed, and *****: very strongly changed). Visible color change was observed in each of the samples. In particular, the thin membranes containing colloidal silver gave strong red coloring.

Table 3

Sample No.	Color change	Sample No.	Color change
101	*	116	***
102	****	117	***
103	**	118	***
104	**	119	***
105	**	120	***
106	**	121	****
107	*	122	*****
108	*	123	****
109	*	124	****
110	**	125	****
111	***	126	*****
112	****	127	****
113	****	128	****
114	****	129	****
115	****		

(b) Measurement for a frozen slice sample of a biotissue

As biosamples, liver and spleen extracted from ICR mice were put on surfaces of thin membranes of No. 120 to 122 as frozen slices having a thickness of about 5 μ m. The thin membranes were put into a moist box and incubated at 37°C for 30 minutes. Evaluation of the activity was performed for each sample by (1) evaluation by visual inspection and (2) evaluation of microportions under a optical microscope. As a result, clearly stronger color development was observed for the membranes placed with the liver tissue slices than those placed with the spleen tissue slices. When the amounts of glutathione contained in the liver and spleen samples were separately quantified by high performance liquid chromatography, the amounts were found to be 9 mmol/kg for the liver and 1 mmol/kg for the spleen, which indicate a higher content in the liver and good correlation with the measurement by the thin membranes of the present invention.

(c) Measurement for a cancer tissue

As test tissue samples, continuous slices each having a thickness of 5 μ m were prepared from a frozen surgical specimen of breast cancer. One of the slices was placed on object glass and dried, and then subjected to hematoxylin-eosine staining in a conventional manner. The other slices were placed on the gelatin thin membranes of Nos. 120 to 122 prepared in Example 1, and incubated in a moist box at 37°C for 30 minutes. After the incubation, the thin membranes with the slice gave color changes, whilst the color of the other portions remained unchanged. Strong color change was observed particularly in cells at peripheries of cancer lesions for all of the cancer tissues. The thin membranes of the present invention gave color change precisely in the same area as portions diagnosed as cancer cells by the hematoxylin-eosine staining.

Example 3: Measurement of a compound not containing thiol group by using the thin membrane (Comparative Example)

As liquid samples of compounds not containing thiol group, solutions of glycine, histidine, methionine, cystine, methyl ethyl ketone, and chloral hydrate in water or ethanol at a concentration of from 0.1 mmol/L to 1 mmol/L were used. Each sample in

an amount of about 10 μ l was dropped onto each of the thin membranes of Nos. 117 to 122 obtained in Example 1. The thin membranes were incubated in a moist box at 37°C for 30 minutes, and then evaluation by visual inspection was carried out for each of the samples. As a result, no sample gave significant color change.

Industrial Applicability

According to the method of the present invention, a thiol group-containing compound present in a solution or a biotissue can be determined accurately and conveniently, and results of evaluation can be obtained in a short period of time. Moreover, according to the method of the present invention, a thiol group-containing compound can be measured in an extremely small amount of sample. A thiol group-containing compound localized in individual cells in a tissue can be measured, and a thin membrane after the measurement can be stored as a preparation for a long period of time.

What is claimed is:

1. A method for measuring a thiol group-containing compound, which comprises the steps of:

(1) contacting a sample containing a thiol group-containing compound with a thin membrane comprising a microparticle of a substance selected from the group consisting of a metal and a metal compound and comprising a hydrophilic binder, and
(2) detecting a color change on the thin membrane resulting from interaction of the thiol group-containing compound and the microparticle.

2. A method for measuring a thiol group-containing compound, which comprises the steps of:

(1) contacting a sample containing a thiol group-containing compound with a thin membrane comprising a microparticle of a substance selected from the group consisting of a metal and a metal compound and comprising a hydrophilic binder and a crosslinking agent, and
(2) detecting a color change on the thin membrane resulting from interaction of the thiol group-containing compound and the microparticle.

3. The method according to claim 1 or claim 2, wherein said metal or a metal constituting said metal compound is selected from the group consisting of a metal of the 2nd period, 3rd period, 4th period, 5th period, and 6th period of the periodic table of elements.

4. The method according to any one of claims 1 to 3, wherein said metal or a metal constituting said metal compound is a metal selected from the group consisting of a metal of Group VIIb, Group VIIb, Group VIII, Group Ib, Group IIb, Group VIa and Group VIIa in the periodic table of elements.

5. The method according to claim 3, wherein said metal or the metal constituting said metal compound is a metal selected from the group consisting of gold, silver, copper, and platinum.

6. The method according to any one of claims 1 to 5, wherein the thiol group-containing compound is a compound selected from the group consisting of an alkylmercaptan, an arylmercaptan, an amino acid and a derivative thereof, a peptide compound, and a protein.

7. The method according to any one of claims 1 to 6, wherein the sample containing the thiol group-containing compound is a biosample isolated or collected from a mammal including human.

8. The method according to claim 7, wherein the biosample is a cancer tissue slice.

9. A thin membrane used for measurement of a thiol group-containing compound, which comprises a microparticle of a substance selected from the group consisting of a metal and a metal compound and comprises a hydrophilic binder.

10. The thin membrane according to claim 9 which further comprises a crosslinking agent.

11. The thin membrane according to claim 9 or claim 10, which generates a color change by interaction of the thiol group-containing compound and the microparticle.

12. A thin membrane for use in the method according to any one of claims 1 to 8.

ABSTRACT

A method for measuring a thiol group-containing compound, which comprises the steps of (1) contacting a sample containing a thiol group-containing compound with a thin membrane comprising a microparticle of a substance selected from the group consisting of a metal and a metal compound and comprising a hydrophilic binder; and (2) detecting a color change on the thin membrane resulting from interaction of the thiol group-containing compound and the microparticle, and a thin membrane used for said method. A thiol group-containing compound such as an alkylmercaptan or a protein containing thiol groups can be conveniently and accurately measured.

09786883-060704

Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD OF DETECTING THIOL-CONTAINING
COMPOUND

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

☐ __月__日に提出され、米国出願番号または特許協定条約国際出願番号を____とし、
（該当する場合）____に訂正されました。

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

the specification of which is attached hereto unless the following box is checked:

☒ was filed on March 9, 2001
as United States Application Number or PCT
International Application Number
09/786,883 (Confirmation No. _____)
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

Japanese Language Declaration

日本語宣言書

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior foreign application(s)
外国での先行出願

Priority Not Claimed
優先権主張なし

10/256839
(Number)
(番号)

JP
(Country)
(国名)

09/10/98
(Day/Month/Year Filed)
(出願年月日)

☐

(Number)
(番号)

(Country)
(国名)

(Day/Month/Year Filed)
(出願年月日)

☐

(Number)
(番号)

(Country)
(国名)

(Day/Month/Year Filed)
(出願年月日)

☐

私は、第35編米国法典119条(e)項に基づいて下記の米国外特許出願規定に記載された権利をここに主張いたします。

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国外特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国外特許出願に開示されていない限り、その先行米国外特許出願提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Status)(patented, pending, abandoned)
(現況：特許許可済、係属中、放棄済)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Status)(patented, pending, abandoned)
(現況：特許許可済、係属中、放棄済)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じていることに基づき表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行えば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Q 63526

LA0304M/V5

Japanese Language Declaration

日本語宣言書

委任状： 私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。（弁理士、または代理人の氏名及び登録番号を明記のこと）

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

John H. Mion, Reg. No. 18,879; Thomas J. Macpeak, Reg. No. 19,292; Robert J. Seas, Jr., Reg. No. 21,092; Darryl Mexic, Reg. No. 23,063; Robert V. Sloan, Reg. No. 22,775; Peter D. Olexy, Reg. No. 24,513; J. Frank Osha, Reg. No. 24,625; Waddell A. Biggart, Reg. No. 24,861; Louis Gubinsky, Reg. No. 24,835; Neil B. Siegel, Reg. No. 25,200; David J. Cushing, Reg. No. 28,703; John R. Inge, Reg. No. 26,916; Joseph J. Ruch, Jr., Reg. No. 26,577; Sheldon I. Landsman, Reg. No. 25,430; Richard C. Turner, Reg. No. 29,710; Howard L. Bernstein, Reg. No. 25,665; Alan J. Kasper, Reg. No. 25,426; Kenneth J. Burchfiel, Reg. No. 31,333; Gordon Kit, Reg. No. 30,764; Susan J. Mack, Reg. No. 30,951; Frank L. Bernstein, Reg. No. 31,484; Mark Boland, Reg. No. 32,197; William H. Mandir, Reg. No. 32,156; Brian W. Hannon, Reg. No. 32,778; Abraham J. Rosner, Reg. No. 33,276; Bruce E. Kramer, Reg. No. 33,725; Paul F. Neils, Reg. No. 33,102; Brett S. Sylvester, Reg. No. 32,765; Robert M. Masters, Reg. No. 35,603; George F. Lehnigk, Reg. No. 36,359; John T. Callahan, Reg. No. 32,607; Steven M. Gruskin, Reg. No. 36,818; Peter A. McKenna, Reg. No. 38,551 and Edward F. Kenahan, Reg. No. 28,962.

書類送付先

Send Correspondence to:
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W., Suite 800
Washington, D.C. 20037-3213

直接電話連絡先：（名前及び電話番号）

Direct Telephone Calls to:

(202)293-7060

09786667 060701

唯一または第一発明者名	1-00	Full name of sole or first inventor NEMORI, Ryoichi
発明者の署名	日付	Inventor's signature <i>Ryoichi Nemori</i> Date May 14, 2001
住所		Residence c/o Fuji Photo Film, Co., LTD. Ashigara Research Laboratories, No. 210 Nakanuma Minami-ashigara-shi, Kanagawa 250-0193 Japan, <i>JPF</i>
国籍		
私書箱		Citizenship Japan
		Post Office Address Same,
第二共同発明者		
第二共同発明者	日付	Full name of second joint inventor, if any NISHIGAKI, Junji
住所	<i>J-00</i>	Second inventor's signature <i>Junji Nishigaki</i> Date May 14, 2001
国籍		Residence c/o Fuji Photo Film, Co., LTD. Ashigara Research Laboratories, No. 210 Nakanuma Minami-ashigara-shi, Kanagawa 250-0193 Japan, <i>JPF</i>
私書箱		Citizenship JAPAN
		Post Office Address SAME

Q 63526 240550211-25

Japanese Language Declaration

日本語宣言書

(第三以降の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors.)

097868837060704

Japanese Language Declaration

日本語宣言書

第三の共同発明者の氏名 (該当する場合)		Full name of third joint inventor, if any TAMURA, Yutaka
同第三発明者の署名	日付	Third inventor's signature Yutaka Tamura May 14, 2001
住所		Residence c/o Fuji Photo Film, Co., LTD. Ashigara Research Laboratories, No. 210 Nakanuma Minami-ashigara-shi, Kanagawa 250-0193 Japan, JPY
国籍		
郵便の宛先		Citizenship JAPAN
		Post office address SAME
第四の共同発明者の氏名 (該当する場合)		
同第四発明者の署名	日付	Full name of fourth joint inventor, if any
住所		Fourth inventor's signature Date
国籍		Residence
郵便の宛先		Citizenship
		Post office address
第五の共同発明者の氏名 (該当する場合)		
同第五発明者の署名	日付	Full name of fifth joint inventor, if any
住所		Fifth inventor's signature Date
国籍		Residence
郵便の宛先		Citizenship
		Post office address
第六の共同発明者の氏名 (該当する場合)		
同第六発明者の署名	日付	Full name of sixth joint inventor, if any
住所		Sixth inventor's signature Date
国籍		Residence
郵便の宛先		Citizenship
		Post office address

Japanese Language Declaration

日本語宣言書

第七の共同発明者の氏名（該当する場合）		Full name of seventh joint inventor, if any	
同第七発明者の署名	日付	Seventh inventor's signature	Date
住所		Residence	
国籍		Citizenship	
郵便の宛先		Post office address	
第八の共同発明者の氏名（該当する場合）		Full name of eighth joint inventor, if any	
同第八発明者の署名	日付	Eighth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
郵便の宛先		Post office address	
第九の共同発明者の氏名（該当する場合）		Full name of Ninth joint inventor, if any	
同第九発明者の署名	日付	Ninth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
郵便の宛先		Post office address	
第十の共同発明者の氏名（該当する場合）		Full name of tenth joint inventor, if any	
同第十発明者の署名	日付	Tenth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
郵便の宛先		Post office address	

HAOS 601415

Supplemental Priority Data Sheet